


**PONTIAC G6  
CHEVROLET MALIBU MAXX**



| REP. | REFERENCE     | PDS  | NB | PISTON   | MZ      |
|------|---------------|------|----|----------|---------|
| 1    | 2513.5001     | 0,5  | 1  | P310     | 142     |
| 2    | 2513.5002     | 0,5  | 1  | P310     | 141     |
| 3    | 2513.5003     | 1,1  | 1  | P160/100 | 140/080 |
| 4    | 2513.5004     | 1,1  | 1  | P160/100 | 140/080 |
| 5    | 2513.5005     | 0,03 | 2  |          |         |
| 6    | 2513.5006     | 1,7  | 1  | P220     | 602     |
| 7    | 2513.5007     | 1,7  | 1  | P220     | 601     |
| 8    | 2513.5008     | 1,2  | 1  | P160/100 | 080     |
| 9    | 2513.5009     | 1,2  | 1  | P160/100 | 080     |
| 10   | 2513.5010     | 0,2  | 2  |          |         |
| 11   | 2513.5011     | 4,7  | 1  |          |         |
| 12   | 2513.5012     | 4,7  | 1  |          |         |
| 13   | 2513.5013     | 0,8  | 2  |          |         |
| 14   | 2513.5014     | 0,6  | 1  | P100     | 080     |
| 15   | 2513.5015     | 0,6  | 1  | P100     | 080     |
| 16   | 2513.5016     | 2,3  | 1  | P100     | 140     |
| 17   | 2513.5017     | 2,3  | 1  | P100     | 140     |
| 18   | 2513.5018     | 0,2  | 4  |          |         |
| 19   | 2513.5019     | 0,2  | 2  |          |         |
| 20   | 2513.5020     | 1,0  | 1  | P310     | 260     |
| 21   | 2513.5021     | 1,0  | 1  | P310     | 260     |
| 22   | 2513.5022     | 0,03 | 4  |          |         |
| 23   | 2513.5023     | 0,4  | 1  | P160     | 200     |
| 24   | 2513.5024     | 0,4  | 1  | P160     | 200     |
| 25   | 2513.5025     | 0,7  | 1  | P160/100 | 260     |
| 26   | 2513.5026     | 0,7  | 1  | P160/100 | 260     |
| 27   | 2513.5027     | 0,1  | 2  |          |         |
| 28   | 2513.5028     | 1,3  | 1  | P160     | 200     |
| 29   | 2513.5029     | 1,3  | 1  | P160     | 200     |
| 30   | 2513.5030     | 1,3  | 1  | P160     | 200     |
| 31   | 2513.5031     | 1,3  | 1  | P160     | 200     |
|      | D.088         | 0,6  | 2  |          |         |
|      | B76           | 0,1  | 2  |          |         |
| A    | MZ2500.CR500B | 6,5  | 1  |          |         |
| B    | MR.2513.500   | 0,2  | 1  |          |         |

|          |   |
|----------|---|
| M 8-30   | 4 |
| M 12-20  | 4 |
| M 12-30  | 2 |
| M 12-60  | 2 |
| M 12-100 | 2 |
| M 12-140 | 2 |
| M 14-110 | 2 |
| M 14-120 | 2 |
| M 14-160 | 2 |
| M 14-200 | 2 |

○ Avec ou sans mécanique  
With or without mechanical elements  
Con o senza parti meccaniche  
Mit oder ohne Aggregate  
Con ó sin mecanica desmontada

**2513.500**

|                 |            |           |
|-----------------|------------|-----------|
| 48 Kg           | 06.06.2008 | 440-D-26A |
| 2513.500-RVA3-1 |            | 00        |



**GM**



CELETTE®

GM

SATURN




AURA

PONTIAC

G6

CHEVROLET

MALIBU MAXX  
MALIBU 2008



○ Avec ou sans mécanique  
With or without mechanical elements  
Con o senza parti meccaniche  
Mit oder ohne Aggregate  
Con ó sin mecanica desmontada


GM

2513.500









48 Kg | 06.06.2008 | 440-D-26B

2513.500-RVA3-1 | 00





**PONTIAC G6  
CHEVROLET  
MALIBU MAXX**










○ Avec ou sans mécanique  
With or without mechanical elements  
Con o senza parti meccaniche  
Mit oder ohne Aggregate  
Con ó sin mecanica desmontada

**GM**

|                 |            |           |
|-----------------|------------|-----------|
| <b>2513.500</b> |            |           |
| 48 Kg           | 06.06.2008 | 440-D-26C |
| 2513.500-RVA3-2 |            | 00        |





○ Avec ou sans mécanique  
With or without mechanical elements  
Con o senza parti meccaniche  
Mit oder ohne Aggregate  
Con ó sin mecanica desmontada



**GM**

|                 |            |           |
|-----------------|------------|-----------|
| <b>2513.500</b> |            |           |
| 48 Kg           | 06.06.2008 | 440-D-26D |
| 2513.500-RVA3-2 |            | 00        |